


TRADE **YALE** MARK

I

Padlocks

THE YALE & TOWNE MFG. CO.

PADLOCK CONSTRUCTION

*Cut open view of the
Yale Pin-tumbler Padlock*

Pin-Tumbler Model

The exterior appearance of Yale Pin-Tumbler Padlocks is a fair indication of their worth.

They are the strongest, most secure and dependable padlocks made.

The case is a very heavy bronze casting, capable of withstanding much abuse. The bronze inner block fits closely into the case and reinforces it.

The outside case and the inside block are both subjected to swedging or squeezing in dies under great pressure. This operation results in greater toughness, strength and accuracy.

There are two bolts, each independent of the other, one locking the toe and the other the heel of the shackle. The bolts are deadlocked, so that they cannot be pushed back out of position.

The shackle is made of a high carbon steel of great strength, casehardened to resist sawing or cutting. The shackle can also be furnished of phosphor bronze when so specified. This metal is usually preferred for outdoor use.

Mechanism

The key, when inserted in the plug, raises the pins to a common line, so that the plug may be turned. In turning the plug the two cams force back projecting lugs on the ends of the bolts. The bolts are thus forced back against the compression of piano wire springs to a point where they become disengaged from the notches in the heel and the toe of the shackle. The shackle is forced up and out by the action of a spring exerting pressure against the heel of the shackle.

Padlocks with Special Markings

The Nos. 830, 840, and 850 series of pin-tumbler padlocks can be furnished with special markings, such as insignia or monograms cast in the case.

These are frequently used by railroads, packing plants and other establishments where large numbers of padlocks are in use and it is necessary that they be easily identified. Particulars may be obtained upon application.

CAST BRONZE PADLOCKS

Pin-Tumbler Mechanism

CUTS
FULL
SIZE.

3

1 1/2 inch Size


Master-keyed as below

Mechanism, five pin-tumblers; when master-keyed, six pin-tumblers.

Shackle, 1/4 in. dia., 11/16 in. clearance.

Key Changes, practically unlimited.

Keys, two, List No. 13 1/2; when master-keyed, two, List No. 12 1/2.



No.	Case Finish	Shackle
830	Buffed finish	Steel, casehardened, chromium plated
830MK	" "	
D830N	Chromium plated	plated
831	Buffed finish	Bronze, buffed
831MK	" "	" "
With 8 inches of 6B Chain		
830 1/2	Buffed finish	Steel, casehardened, chromium plated
830 1/2MK	" "	
831 1/2	" "	Bronze, buffed
831 1/2MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "830MK," can be furnished master-keyed in one group in any number up to 600, or a smaller quantity in more than one group, with sub-master and grand master-keys.

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D830."

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 1/8 lbs.

For this padlock with high shackle, see page 72.

1 3/4 inch Size


Master-keyed as below

Mechanism, five pin-tumblers; when master-keyed, six pin-tumblers.

Shackle, 5/16 in. dia., 13/16 in. clearance.

Key Changes, practically unlimited.

Keys, two, List No. 8; when master-keyed, two, List No. 11.




No.	Case Finish	Shackle
840	Buffed finish	Steel, casehardened, chromium plated
840MK	" "	
D840N	Chromium plated	plated
841	Buffed finish	Bronze, buffed
841MK	" "	" "
With 8 inches of 7B Chain		
840 1/2	Buffed finish	Steel, casehardened, chromium plated
840 1/2MK	" "	
841 1/2	" "	Bronze, buffed
841 1/2MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "840MK," can be furnished master-keyed in one group in any number up to 4000 or a smaller quantity in more than one group, with sub-master and grand master-keys.

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D840."


Packed: 1/2 doz. in a box; weight per doz., without chain, 7 5/8 lbs.

CUTS
FULL
SIZE.**CAST BRONZE PADLOCKS**
Pin-Tumbler Mechanism**2 inch Size***Master-keyed as below***Mechanism**, five pin-tumblers; when master-keyed, six pin-tumblers.**Shackle**, $\frac{3}{8}$ in. dia., $\frac{29}{32}$ in. clearance.**Key Changes**, practically unlimited.**Keys**, two, List No. 8; when master-keyed, two, List No. 11.

No.	Case Finish	Shackle
850	Buffed finish	Steel, casehardened, chromium plated
850MK	" "	
850AS	" "	Alloysteel*, casehardened, chromium plated
851	" "	
851MK	" "	Bronze, buffed

With 8 inches of 7B Chain

850 $\frac{1}{2}$	Buffed finish	Steel, casehardened, chromium plated
850 $\frac{1}{2}$ MK	" "	
851 $\frac{1}{2}$	" "	Bronze, buffed
851 $\frac{1}{2}$ MK	" "	

**Master-keying:** Padlocks listed with the suffix "MK," thus "850MK," can be furnished master-keyed in one group in any number up to 4000, or a smaller quantity in more than one group, with sub-master and grand master-keys.**Dust Guard:** Prefix letter "D" to list number if dust guard is required, thus "D850."**Packed:** $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 9 $\frac{7}{8}$ lbs.**2 1/2 inch Size***Master-keyed as below***Mechanism**, five pin-tumblers; when master-keyed, six pin-tumblers.**Shackle**, $\frac{7}{16}$ in. dia., $1\frac{13}{16}$ in. clearance.**Key Changes**, practically unlimited.**Keys**, two, List No. 8; when master-keyed, two, List No. 11.

No.	Case Finish	Shackle
870	Buffed finish	Steel, casehardened, chromium plated
870MK	" "	
870AS	" "	Alloysteel*, casehardened, chromium plated
871	" "	
871MK	" "	Bronze, buffed

With 8 inches of 8B Chain

870 $\frac{1}{2}$	Buffed finish	Steel, casehardened, chromium plated
870 $\frac{1}{2}$ MK	" "	
871 $\frac{1}{2}$	" "	Bronze, buffed
871 $\frac{1}{2}$ MK	" "	

Master-keying: Padlocks listed with the suffix "MK," thus "870MK," can be furnished master-keyed in one group in any number up to 4000, or a smaller quantity in more than one group, with sub-master and grand master-keys.**Dust Guard:** Prefix letter "D" to list number if dust guard is required, thus "D870."**Packed:** $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 13 $\frac{1}{2}$ lbs.

*The metal is a true alloy steel, containing nickel and chromium, which will resist filing, sawing and cutting with bolt shears to a greater extent than our regular case-hardened shackle.

CAST BRONZE AND MALLEABLE IRON PADLOCKS

Pin-Tumbler Mechanism

"Hermetic" Model

1 3/4 inch Size

CUTS
FULL
SIZE.

5

Cannot be master-keyed



Mechanism, four pin-tumblers.

Shackle, 9/32 in. dia., 2 1/2 in. clearance.

Discs, steel, casehardened.

Key Changes, 1200.

Keys, two, List No. 12 1/2.



No.	Case Finish	Steel Shackle
724	Mal. iron, bower-barffed; discs finished in blue lacquer	Casehardened and cadmium plated
724B	Cast bronze; steel discs, with bronze cover plates	Casehardened and cadmium plated
With 8 inches of 4S Chain		
724 1/2	Mal. iron, bower-barffed; discs finished in blue lacquer	Casehardened and cadmium plated
With 8 inches of 6B Chain		
724 1/2B	Cast bronze; steel discs, with bronze cover plates	Casehardened and cadmium plated

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 3/4 lbs.



2 1/4 inch Size

Cannot be master-keyed

Mechanism, four pin-tumblers.

Shackle, 3/8 in. dia., 2 3/32 in. clearance.

Discs, steel, casehardened.

Key Changes, 3000.


Keys, two, List No. 11.

No.	Case Finish	Steel Shackle
726	Mal. iron, bower-barffed; discs finished in blue lacquer	Casehardened and cadmium plated
726B	Cast bronze; steel discs, with bronze cover plates	Casehardened and cadmium plated
With 8 inches of 2S Chain		
726 1/2	Mal. iron, bower-barffed; discs finished in blue lacquer	Casehardened and cadmium plated
With 8 inches of 7B Chain		
726 1/2B	Cast bronze; steel discs, with bronze cover plates	Casehardened and cadmium plated

Packed: 1/2 doz. in a box; weight per doz., without chain, 10 1/4 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL AND WROUGHT
BRASS PADLOCKS****Pin-Tumbler Mechanism****"Defender" Model****1 1/2 inch Size***Cannot be master-keyed*

Mechanism, four pin-tumblers.
Shackle, 1/4 in. dia., 5/8 in. clearance.
Key Changes, 36.
Keys, two, List No. 16.




No.	Case Finish	Steel Shackle
743S	Steel, bower-barffed	Nickel plated
743V	Brass, dipped bright	" "
With 8 inches of 4S Chain		
743 1/2 S	Steel, bower-barffed	Nickel plated
With 8 inches of 6B Chain		
743 1/2 V	Brass, dipped bright	Nickel plated

Packed: 1/2 doz. in a box; weight per doz., without chain,
 2 3/8 lbs.

2 inch Size*Master-keyed as below*

Mechanism, four pin-tumblers.
Shackle, 5/16 in. dia., 7/8 in. clearance.
Key Changes, 144.
Keys, two, List No. 6; when master-keyed,
 two, List No. 8.



No.	Case Finish	Steel Shackle
745S	Steel, bower-barffed	Nickel plated
745SMK	" " "	" "
745V	Brass, dipped bright	" "
745VMK	" " "	" "
With 8 inches of 2S Chain		
745 1/2 S	Steel, bower-barffed	Nickel plated
745 1/2 SMK	" " "	" "
With 8 inches of 6B Chain		
745 1/2 V	Brass, dipped bright	Nickel plated
745 1/2 VMK	" " "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "745VMK," can be furnished master-keyed in 40 different sets, each having its own master-key, and with from 54 to 126 padlocks in each set, no two padlocks having keys alike. They cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain,
 5 1/4 lbs.

CAST IRON PADLOCKS
Pin-Tumbler Mechanism
"Bulwark" Model

CUTS
FULL
SIZE.

7



These padlocks are most easily opened by pulling on the shackle and not by pushing on the key.

1½ inch Size

Cannot be master-keyed

Mechanism, four pin-tumblers.

Shackle, $\frac{5}{16}$ in. dia., $\frac{25}{32}$ in. clearance.

Key Changes, 144.

Keys, two, List No. 116½.

No.	Case Finish	Shackle
903	Iron, bower-barffed	Bronze, buffed
With 8 inches of 4S Chain		
903½	Iron, bower-barffed	Bronze, buffed

Packed: ½ doz. in a box; weight per doz., without chain, 4½ lbs.



2 inch Size

Cannot be master-keyed

Mechanism, four pin-tumblers.


Shackle, $\frac{3}{8}$ in. dia., $\frac{15}{16}$ in. clearance.

Key Changes, 144.

Keys, two, List No. 106½.

No.	Case Finish	Shackle
905	Iron, bower-barffed	Bronze, buffed
With 8 inches of 2S Chain		
905½	Iron, bower-barffed	Bronze, buffed

Packed: ½ doz. in a box; weight per doz., without chain 9¾ lbs.

CUTS
FULL
SIZE.**CAST BRONZE AND CAST IRON PADLOCKS**
Pin-Tumbler Mechanism

These padlocks are most easily opened by pulling on the shackle and not by pushing on the key.

1 1/8 inch Size*Master-keyed as below*

Mechanism, four pin-tumblers; when master-keyed, five pin-tumblers.

Key Changes, 1200.


Keys, two, List No. 10 1/2; when master-keyed, two, List No. 13 1/2.

No.	Case Finish	Shackle
1701	Bronze, wheel finish	Steel, nkl. pltd.
1701 B	" " "	Bronze, buffed
D1701	" " "	Steel, nkl. pltd.
D1701 N	" nickel plated	" " "

Master-keying: If padlocks listed above are wanted master-keyed, add the suffix "MK," thus "1701MK," can be furnished master-keyed in one group in any number up to 350, or a smaller quantity in more than one group with sub-master and grand master-keys.

Dust Guard: Prefix of letter "D" to list number indicates dust guard, thus "D1701."

Packed: 1/2 doz. in a box; weight per doz., 3 lbs.

*"Ironsides" Model***1 1/2 inch Size***Cannot be master-keyed*


Mechanism, four pin-tumblers.

Key Changes, 144.

Keys, two, List No. 1 1/2.

No.	Case Finish	Shackle
803F	Iron, bower-barffed	Bronze, buffed
With 8 inches of 4S Chain		
803 1/2 F	Iron, bower-barffed	Bronze, buffed

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 lbs.

*"Ironsides" Model***2 inch Size***Cannot be master-keyed*

Mechanism, four pin-tumblers.

Key Changes, 144.


Keys, two, List No. 3 1/2.

No.	Case Finish	Shackle
805F	Iron, bower-barffed	Bronze, buffed
With 8 inches of 2S Chain		
805 1/2 F	Iron, bower-barffed	Bronze, buffed

Packed: 1/2 doz. in a box; weight per doz., without chain, 7 1/2 lbs.

PADLOCK CONSTRUCTION

9



Lever-Tumbler "Standard" Model

Design: Yale "Standard" Model Lever-tumbler Padlocks are, next to the Pin-tumbler Padlocks previously described, the highest quality padlocks made. Their great strength and security are the result of careful design and exacting methods of workmanship.

The working parts are assembled and encased in a heavy bronze block which is set securely into the case and riveted thereto. Both the inside face of the case and the outside face of the block are accurately machined to secure a snug fit, and the rivets are polished flush with the outside of the case. This construction so reinforces the case that not even sledge-hammer blows will force the lock open.

The block containing the working mechanism is set into the case from the bottom of the padlock. The shackle, when locked, secures this block in place so that even were the holding rivets driven out, the padlock can not be opened except by its proper key.

Materials: All parts, inside and out, are of non-corroding material, such as bronze or nickel-bronze, to resist the action of the weather. The shackle is of tough cast bronze, "coined" or squeezed into shape in a steel die under high pressure. This coining process enables the shackle so treated to withstand a bending stress three hundred per cent greater than that which could be borne by a shackle of the same metal not so treated. The bronze metal of the case is made from a special formula which combines rugged strength with especial brilliancy of color. The keys are of nickel-bronze, "coined" in the same manner as the shackles. It has been found that keys so made cause practically no wear on the internal mechanism of the lock.

Mechanism: The interior mechanism consists of a locking-bolt engaging with one end of the shackle normally held in the locking position by a spring; a projection or "fence-pin" prevents the withdrawing of the bolt from the locked position. A series of lever-tumblers, each with a "gating" or slot at the end, are mounted on a shaft, and normally held by springs in such positions as to prevent the entrance of the "fence-pin" into the "gating." When the proper key is inserted, the bittings set the respective tumblers so that the "gatings" are all in line, and continued revolution of the key then withdraws the locking-bolt from the shackle. The free end of the shackle is then automatically forced up and out of the case by the action of a spring-controlled plunger.

CUTS
FULL
SIZE.

TRADE **YALE** MARK

CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

"Standard" Model



$\frac{3}{4}$ inch Size

Cannot be master-keyed

Mechanism, three lever-tumblers.

Key Changes, 24.

Keys, two, List No. 82.

No.	Case Finish	Shackle
800	Fine wheel finish	Bronze, wheel finish

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., $\frac{3}{4}$ lb.



1 inch Size

Cannot be master-keyed


Mechanism, three lever-tumblers.

Key Changes, 48.

Keys, two, List No. 86.

No.	Case Finish	Shackle
813	Fine wheel finish	Bronze, wheel finish
With 8 inches of 3A Chain		
813 $\frac{1}{2}$	Fine wheel finish	Bronze, wheel finish

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $1\frac{7}{8}$ lbs.



$1\frac{1}{4}$ inch Size

Cannot be master-keyed

Mechanism, three lever-tumblers.

Key Changes, 48.

Keys, two, List No. 186.


No.	Case Finish	Shackle
823	Fine wheel finish	Bronze, wheel finish
With 8 inches of 3A Chain		
823 $\frac{1}{2}$	Fine wheel finish	Bronze, wheel finish

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $2\frac{1}{8}$ lbs.

CAST BRONZE PADLOCKS
Lever-Tumbler Mechanism
"Standard" Model

CUTS
FULL
SIZE.

I I



1 1/2 inch Size

Cannot be master-keyed


Mechanism, three lever-tumblers.

Key Changes, 48.

Keys, two, List No. 87.

No.	Case Finish	Shackle
833	Fine wheel finish	Bronze, wheel finish
With 8 inches of 6B Chain		
833 1/2	Fine wheel finish	Bronze, wheel finish

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 lbs.



1 3/4 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.

Key Changes, 72.

Keys, two, List No. 187.

No.	Case Finish	Shackle
843	Fine wheel finish	Bronze, wheel finish
With 8 inches of 6B Chain		
843 1/2	Fine wheel finish	Bronze, wheel finish

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D843."

Packed: 1/2 doz. in a box; weight per doz., without chain, 5 lbs.

CUTS
FULL
SIZE.

CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

"Standard" Model



No. 853

2 inch Size*Cannot be master-keyed***Mechanism**, four lever-tumblers.**Key Changes**, 144.**Keys**, two, List No. 88.

No.	Case Finish	Shackle
853	Fine wheel finish	Bronze, wheel finish
854	" " "	Steel, casehardened
With 8 inches of 7B Chain		
853 1/2	Fine wheel finish	Bronze, wheel finish

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D853."**Packed**: 1/2 doz. in a box; weight per doz., without chain, 8 lbs.

No. L853



No. H853

2 inch Size*Cannot be master-keyed***Mechanism**, four lever-tumblers.**Key Changes**, 144.**Keys**, two, List No. 88.**Shackles**: The diameter of the opening in the L853 shackle is 3/4 in., the height of opening in the H853 shackle is 1 1/4 in.**Dust Guard**: Prefix letter "D" to list number if dust guard is required, thus "DL853."**Packed**: 1/2 doz. in a box; weight per doz.: L853, 8 lbs.; H853, 8 3/4 lbs.

No.	Case Finish	Shackle
L853	Fine wheel finish	Bronze, wheel finish
H853	" " "	" " "


CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

"Standard" Model

CUTS
FULL
SIZE.

I 3





1 inch Size

Cannot be master-keyed

Mechanism, three lever-tumblers.
Shackle, $\frac{3}{16}$ in. dia., $\frac{9}{16}$ in. clearance.
Key Changes, 48.
Keys, two, List No. 86.

No.	Case Finish	Shackle
815	Fine wheel finish	Bronze, wheel finish
With 8 inches of 3A Chain		
815 $\frac{1}{2}$	Fine wheel finish	Bronze, wheel finish

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 1 $\frac{7}{8}$ lbs.



1 1/2 inch Size


Cannot be master-keyed

Mechanism, three lever-tumblers.
Shackle, $\frac{7}{32}$ in. dia., $\frac{31}{32}$ in. clearance.
Key Changes, 48.
Keys, two, List No. 87.

No.	Case Finish	Shackle
836	Fine wheel finish	Steel, nickel plated
K836	" " "	" casehardened
With 8 inches of 6B Chain		
836 $\frac{1}{2}$	Fine wheel finish	Steel, nickel plated

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D836."

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 3 $\frac{3}{4}$ lbs.



2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.
Shackle, $\frac{5}{16}$ in. dia., 1 $\frac{1}{8}$ in. clearance.
Key Changes, 144.
Keys, two, List No. 88.

No.	Case Finish	Shackle
856	Fine wheel finish	Steel, nickel plated
K856	" " "	" casehardened
With 8 inches of 7B Chain		
856 $\frac{1}{2}$	Fine wheel finish	Steel, nickel plated

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D856."

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 8 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK

CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

"Standard" Model

**2 1/4 inch Size***Cannot be master-keyed***Mechanism**, four lever-tumblers.**Key Changes**, 144.**Keys**, two, List No. 188.

No.	Case Finish	Shackle
863	Fine wheel finish	Bronze, wheel finish
With 8 inches of 7B Chain		
863 1/2	Fine wheel finish	Bronze, wheel finish

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D863."**Packed:** 1/2 doz. in a box; weight, per doz. without chain, 9 lbs.**2 1/2 inch Size***Cannot be master-keyed***Mechanism**, four lever-tumblers.**Key Changes**, 144.**Keys**, two, List No. 89.


No.	Case Finish	Shackle
873	Fine wheel finish	Bronze, wheel finish
874	" " "	Steel, casehardened
With 8 inches of 8B Chain		
873 1/2	Fine wheel finish	Bronze, wheel finish

Packed: 1/2 doz. in a box; weight, per doz. without chain, 13 3/8 lbs.

CAST BRONZE PADLOCKS
Lever-Tumbler Mechanism
"Standard" Model

CUTS
 FULL
 SIZE.

15



2 1/2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.

Shackle Opening, 1 5/8 in. high, 2 in. wide.

Key Changes, 144.

Keys, two, List No. 89.

No.	Case Finish	Shackle
877	Fine wheel finish	Bronze, fine wheel finish


Packed: 1/2 doz. in a box; weight per doz., 14 3/4 lbs.

TRADE **YALE** MARK

I 6

CUTS
FULL
SIZE.

CAST BRONZE PADLOCKS
Lever-Tumbler Mechanism
"Standard" Model



3 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.
Shackle Opening, $1\frac{3}{8}$ in. high, $1\frac{1}{2}$ in. wide.
Key Changes, 144.
Keys, two, List No. 84.


No.	Case Finish	Shackle
894	Fine wheel finish	Steel, casehardened
With 8 inches of 8B Chain		
894 $\frac{1}{2}$	Fine wheel finish	Steel, casehardened

Packed: 1/12 doz. in a box; weight each, without chain,
 $2\frac{1}{8}$ lbs.

MALLEABLE IRON PADLOCKS
Lever-Tumbler Mechanism
"Standard" Model

CUTS
FULL
SIZE.

17



3½ inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.

Shackle Opening, 2½ in. high, 1⅝ in. wide.

Key Changes, 144.

Keys, two, List No. 64.

No.	Case Finish	Shackle
897	Iron, bower-barffed	Steel, casehardened



Packed: 1/12 doz. in a box; weight each, 2⅜ lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK

CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

"Champion" Model



2 1/4 inch Size



Master-keyed as below

Mechanism, six lever-tumblers.
Shackle, diameter of opening, $\frac{19}{32}$ in.
Key Changes, practically unlimited.
Keys, two, List No. 125.

No.	Case Finish	Shackle
1	Bronze, polished	Brass, polished
1MK	" "	" "
With 8 inches of 6B Chain		
1 1/2	Bronze, polished	Brass, polished
1 1/2MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "1MK," can be furnished master-keyed in one group in any number up to 240. Cannot be grand master-keyed.

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $5\frac{3}{4}$ lbs.



2 1/4 inch Size

Master-keyed as below

Mechanism, six lever-tumblers.
Shackle, height of opening, $1\frac{1}{8}$ in.
Key Changes, practically unlimited.
Keys, two, List No. 125.

No.	Case Finish	Shackle
7	Bronze, polished	Brass, polished
7MK	" "	" "
With 8 inches of 6B Chain		
7 1/2	Bronze, polished	Brass, polished
7 1/2MK	" "	" "



Master-keying: Padlocks listed with the suffix "MK," thus "7MK," can be furnished master-keyed in one group in any number up to 240. Cannot be grand master-keyed.

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $6\frac{3}{4}$ lbs.

CAST BRASS PADLOCKS
Lever-Tumbler Mechanism
"Champion" Model

CUTS
FULL
SIZE.

19





2 1/4 inch Size

Cannot be master-keyed

Mechanism, six lever-tumblers.
Shackle, diameter of opening, $1\frac{19}{32}$ in.
Key Changes, 12.
Keys, two, List No. 125.

No.	Case Finish	Shackle
125	Brass, polished	Brass, polished
With 8 inches of 6B Chain		
125 1/2	Brass, polished	Brass, polished

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $5\frac{11}{16}$ lbs.



2 1/4 inch Size

Cannot be master-keyed

Mechanism, six lever-tumblers.
Shackle, height of opening, $1\frac{1}{8}$ in.
Key Changes, 12.
Keys, two, List No. 125.

No.	Case Finish	Shackle
127	Brass, polished	Brass, polished
With 8 inches of 6B Chain		
127 1/2	Brass, polished	Brass, polished



Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $6\frac{1}{2}$ lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK

CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

"Champion" Model





2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.
Shackle, diameter of opening, $1\frac{7}{32}$ in.
Key Changes, 120.
Keys, two, List No. 01.

No.	Case Finish	Shackle
01	Bronze, polished	Brass, polished
With 8 inches of 6B Chain		
01½	Bronze, polished	Brass, polished

Packed: ½ doz. in a box; weight per doz., without chain, 3 lbs.



2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.
Shackle, height of opening, $1\frac{1}{32}$ in.
Key Changes, 120.
Keys, two, List No. 01.

No.	Case Finish	Shackle
07	Bronze, polished	Brass, polished
With 8 inches of 6B Chain		
07½	Bronze, polished	Brass, polished



Packed: ½ doz. in a box; weight per doz., without chain, 4 lbs.

CAST BRONZE PADLOCKS

Lever-Tumbler Mechanism

CUTS
FULL
SIZE.

2 I



1 3/4 inch Size

Master-keyed as below

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Shackle, 1/4 in. dia., 1 9/32 in. clearance.



Key Changes, regular, 144. Can be furnished practically unlimited.

Keys, two, List No. 816.

No.	Case Finish	Steel Shackle
86	Bronze, polished	Casehardened
86MK	" "	" "
With 8 inches of 6B Chain		
86 1/2	Bronze, polished	Casehardened
86 1/2 MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "86MK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 3/4 lbs.



1 3/4 inch Size

Master-keyed as below

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Key Changes, regular, 144. Can be furnished practically unlimited.



Keys, two, List No. 816.

No.	Case Finish	Shackle
817	Bronze, polished	Bronze, polished
817MK	" "	" "
With 8 inches of 6B Chain		
817 1/2	Bronze, polished	Bronze, polished
817 1/2 MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "817MK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 3/4 lbs.

The above locks can be furnished in master-keyed sets, with No. 950 locks, page 26. This provides a steel lock for inside use, and a solid bronze lock for outdoor use, all subject to one master key.

CUTS
FULL
SIZE.TRADE **YALE** MARK**CAST BRONZE PADLOCKS**
Lever-Tumbler Mechanism**2 1/8 inch Size***Master-keyed as below*

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Shackle, $\frac{5}{16}$ in. dia., $\frac{3}{4}$ in. clearance.


Key Changes, regular 144. Can be furnished practically unlimited.

Keys, two, List No. 616.

No.	Case Finish	Steel Shackle
66	Bronze, polished	Casehardened
66MK	" "	" "
With 8 inches of 6B Chain		
66 1/2	Bronze, polished	Casehardened
66 1/2MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "66MK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 5 $\frac{3}{8}$ lbs.

**2 1/8 inch Size***Master-keyed as below*

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Key Changes, regular 144. Can be furnished practically unlimited.

Keys, two, List No. 616.

No.	Case Finish	Shackle
617	Bronze, polished	Bronze, polished
617MK	" "	" "
With 8 inches of 6B Chain		
617 1/2	Bronze, polished	Bronze, polished
617 1/2MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "617MK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 5 $\frac{3}{8}$ lbs.

The above locks can be furnished in master-keyed sets, with Nos. 650 and 0650 locks, pages 26 and 27. This provides a steel lock for inside use, and a solid bronze lock for outdoor use, all subject to one master-key.

CAST BRONZE AND CARBON STEEL PADLOCKS Lever-Tumbler Mechanism

CUTS
FULL
SIZE.

23



2 1/2 inch Size

Master-keyed as below

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Key Changes, regular 144. Can be furnished practically unlimited.



Keys, two, List No. 450.

No.	Case Finish	Shackle
417	Bronze, polished	Bronze, polished
417MK	" "	" "
With 8 inches of 7B Chain		
417 1/2	Bronze, polished	Bronze, polished
417 1/2 MK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "417MK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: 1/12 doz. in a box; weight per doz., without chain, 9 1/4 lbs.

The No. 417 lock can be furnished in master-keyed sets with the No. 450 series locks, page 27. This provides a steel lock for inside use, and a solid bronze lock for outdoor use, all subject to one master-key.



2 1/8 inch Size

Master-keyed as below

Mechanism, six brass lever-tumblers.

Shackle, 5/16 in. dia., 7/8 in. clearance.

Plates, brass, reinforced by hardened steel armor plates.

Key Changes, practically unlimited.

Keys, two, List No. 7121.

No.	Carbon Steel Case	Steel Shackle
7121	Bower-barff finish	Casehardened
7121MK	" " "	" "
With 8 inches of 2S Chain		
7121 1/2	Bower-barff finish	Casehardened
7121 1/2 MK	" " "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "7121MK," can be furnished master-keyed in one group in any number up to 240. Cannot be grand master-keyed.

Dust Guard: Prefix letter "D" to list number if dust guard is required, thus "D7121."

Packed: 1/2 doz. in a box; weight per doz., without chain, 10 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK

SEAMLESS STEEL PADLOCKS

Lever-Tumbler Mechanism

"Monitor" Model



1 inch Size

Cannot be master-keyed


Mechanism, three lever-tumblers.

Key Changes, 48.

Keys, two, List No. 76.

No.	Case Finish	Shackle
8414	Steel, bower-barffed	Steel, bower-barffed

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., $1\frac{1}{2}$ lbs.



1 1/2 inch Size

Cannot be master-keyed



Mechanism, three lever-tumblers.

Key Changes, 48.

Keys, two, List No. 67.

No.	Case Finish	Shackle
8434	Steel, bower-barffed	Steel, bower-barffed
With 8 inches of 4S Chain		
8434 1/2	Steel, bower-barffed	Steel, bower-barffed

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $3\frac{1}{4}$ lbs.



2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.

Key Changes, 144.

Keys, two, List No. 68.


No.	Case Finish	Shackle
8454	Steel, bower-barffed	Steel, bower-barffed
With 8 inches of 2S Chain		
8454 1/2	Steel, bower-barffed	Steel, bower-barffed

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, $5\frac{3}{4}$ lbs.

SEAMLESS STEEL AND BRASS PADLOCKS
Lever-Tumbler Mechanism
"Defiance" Model

CUTS
FULL
SIZE.

25





1 1/2 inch Size

Cannot be master-keyed

Mechanism, three lever-tumblers.
Shackle, 1/4 in. dia., 11/16 in. clearance.
Key Changes, 48.
Keys, two, List No. 77.

No.	Case Finish	Shackle
563	Steel, bower-barffed	Steel, nickel plated
563V	Brass, buffed	Brass, buffed
K563	Steel, bower-barffed	Steel, casehardened
With 8 inches of 4S Chain		
563 1/2	Steel, bower-barffed	Steel, nickel plated
With 8 inches of 6B Chain		
563 1/2 V	Brass, buffed	Brass, buffed

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 lbs.
For this padlock with high shackle, see page 72.





2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.
Shackle, 5/16 in. dia., 7/8 in. clearance.
Key Changes, 48.
Keys, two, List No. 78.

No.	Case Finish	Shackle
565	Steel, bower-barffed	Steel, nickel plated
565V	Brass, buffed	Brass, buffed
With 8 inches of 2S Chain		
565 1/2	Steel, bower-barffed	Steel, nickel plated
With 8 inches of 6B Chain		
565 1/2 V	Brass, buffed	Brass, buffed

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 7/8 lbs.
For this padlock with high shackle, see page 73.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL PADLOCKS**
Lever-Tumbler Mechanism**1 3/4 inch Size***Master-keyed as below*

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Key Changes, regular 144. Can be furnished practically unlimited.

Keys, two, List No. 816.

No.	Steel Case Finish	Mal. Iron Shackle
950F	Bower-barffed	Brass plated
950FMK	" "	" "
950Z	Galvanized	Galvanized
950ZMK	" "	" "
With 8 inches of 4S Chain		
950 1/2 F	Bower-barffed	Brass plated
950 1/2 FMK	" "	" "
950 1/2 Z	Galvanized	Galvanized
950 1/2 ZMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "950FMK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 1/2 lbs.



The above locks can be furnished in master-keyed sets with Nos. 86 and 817 locks, page 21. This provides a steel lock for inside use, and a solid bronze lock for outdoor use, all subject to one master-key.

2 inch Size*Master-keyed as below*

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Key Changes, regular, 144. Can be furnished practically unlimited.

Keys, two, List No. 616.



No.	Steel Case Finish	Mal. Iron Shackle
650F	Bower-barffed	Brass plated
650FMK	" "	" "
650Z	Galvanized	Galvanized
650ZMK	" "	" "
With 8 inches of 2S Chain		
650 1/2 F	Bower-barffed	Brass plated
650 1/2 FMK	" "	" "
650 1/2 Z	Galvanized	Galvanized
650 1/2 ZMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "650FMK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain, 5 lbs.



The above locks can be furnished in master-keyed sets with Nos. 617 and 66 locks, page 22. This provides a steel lock for inside use, and a solid bronze lock for outdoor use, all subject to one master-key.

WROUGHT STEEL PADLOCKS

Lever-Tumbler Mechanism

CUTS
FULL
SIZE.

27



2 inch Size

Master-keyed as below

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.

Shackle, $\frac{5}{16}$ in. dia., $\frac{3}{4}$ in. clearance.



Key Changes, regular, 144. Can be furnished practically unlimited.

Keys, two, List No. 616.

No.	Steel Case Finish	Mal. Iron Shackle
0650F	Bower-barffed	Brass plated
0650FMK	" "	" "
0650Z	Galvanized	Galvanized
0650ZMK	" "	" "
With 8 inches of 2S Chain		
0650$\frac{1}{2}$F	Bower-barffed	Brass plated
0650$\frac{1}{2}$FMK	" "	" "
0650$\frac{1}{2}$Z	Galvanized	Galvanized
0650$\frac{1}{2}$ZMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "0650FMK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 5 lbs.



2 1/2 inch Size

Master-keyed as below

Mechanism, four lever-tumblers; when master-keyed, six lever-tumblers. Brass interior parts.



Key Changes, regular, 144. Can be furnished practically unlimited.

Keys, two, List No. 450.



No.	Steel Case Finish	Mal. Iron Shackle
450F	Bower-barffed	Brass plated
450FMK	" "	" "
450Z	Galvanized	Galvanized
450ZMK	" "	" "
With 8 inches of 2S Chain		
450$\frac{1}{2}$F	Bower-barffed	Brass plated
450$\frac{1}{2}$FMK	" "	" "
450$\frac{1}{2}$Z	Galvanized	Galvanized
450$\frac{1}{2}$ZMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "450FMK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 8 $\frac{1}{8}$ lbs.

CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**
Lever-Tumbler Mechanism**2 inch Size***Master-keyed as below***Mechanism**, four lever-tumblers.
Brass interior parts.**Key Changes**, 144.**Keys**, two, List No. B14.

No.	Steel Case Finish	Mal. Iron Shackle
5650Z	Galvanized	Galvanized
5650ZMK	"	"
With 8 inches of 2S Chain		
5650½Z	Galvanized	Galvanized
5650½ZMK	"	"

Master-keying: Padlocks listed with the suffix "MK," thus "5650ZMK," can be furnished master-keyed in one group in any number up to 144. Cannot be grand master-keyed.**Packed:** ½ doz. in a box; weight per doz., without chain, 5¼ lbs.**2 1/2 inch Size***Master-keyed as below***Mechanism**, four lever-tumblers. Brass interior parts.**Key Changes**, 144.**Keys**, two, List No. B22.

No.	Steel Case Finish	Mal. Iron Shackle
5450Z	Galvanized	Galvanized
5450ZMK	"	"
With 8 inches of 2S Chain		
5450½Z	Galvanized	Galvanized
5450½ZMK	"	"



Master-keying: Padlocks listed with the suffix "MK," thus "5450ZMK," can be furnished master-keyed in one group in any number up to 144. Cannot be grand master-keyed.**Packed:** ½ doz. in a box; weight per doz., without chain, 8¼ lbs.

WROUGHT STEEL PADLOCKS

Lever-Tumbler Mechanism

CUTS
FULL
SIZE.

29



2 inch Size

Master-keyed as below

Mechanism, four lever-tumblers.
Brass interior parts.



Key Changes, 144.

Keys, two, List No. B14.

No.	Steel Case Finish	Mal. Iron Shackle
D5650Z D5650ZMK	Galvanized "	Galvanized "
With 8 inches of 2S Chain		
D5650½Z D5650½ZMK	Galvanized "	Galvanized "

Master-keying: Padlocks listed with the suffix "MK," thus "D5650ZMK," can be furnished master-keyed in one group in any number up to 144. Cannot be grand master-keyed.

Packed: ½ doz. in a box; weight per doz., without chain, 5½ lbs.



2 ½ inch Size

Master-keyed as below

Mechanism, four lever-tumblers.

Brass interior parts.



Key Changes, 144.

Keys, two, List No. B22.

No.	Steel Case Finish	Mal. Iron Shackle
D5450Z D5450ZMK	Galvanized "	Galvanized "
With 8 inches of 2S Chain		
D5450½Z D5450½ZMK	Galvanized "	Galvanized "

Master-keying: Padlocks listed with the suffix "MK," thus "D5450ZMK," can be furnished master-keyed in one group in any number up to 144. Cannot be grand master-keyed.

Packed: ½ doz. in a box; weight per doz., without chain, 8½ lbs.

CUTS
FULL
SIZE.**CAST BRONZE PADLOCKS**
Lever-Tumbler Mechanism


For Railroad Use

2 1/8 inch Size*Master-keyed as below***Mechanism**, three lever-tumblers.
Key Changes, 96.**Keys**, two, bronze, List No. 1625.

No.	Case Finish	Shackle
1625	Bronze, unpolished	Bronze, unpolished
1625MK	" " "	" " "
With 8 inches of 7B Chain		
1625 1/2	Bronze, unpolished	Bronze, unpolished
1625 1/2 MK	" " "	" " "

Master-keying: Padlocks listed with the suffix "MK," thus "1625MK," can be furnished master-keyed in one group in any number up to 200. Cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain, 8 3/4 lbs.

**2 inch Size***Master-keyed as below***Mechanism**, three lever-tumblers.**Key Changes**, regular, 12. Can be furnished with 4000 changes.**Keys**, two, List No. 585.

No.	Cast Bronze Case	Shackle
585	Fine wheel finish	Bronze, buffed
585MK	" " "	" " "
With 8 inches of 2S Chain		
585 1/2	Fine wheel finish	Bronze, buffed
585 1/2 MK	" " "	" " "


Master-keying: Padlocks listed with the suffix "MK," thus "585MK," can be furnished master-keyed in one group in any number up to 4000. Cannot be grand master-keyed.

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 3/4 lbs.

CAST BRONZE PADLOCKS
Lever, Bolt and Spring Mechanism
For Railroad Use

CUTS
FULL
SIZE.

31



2 1/2 inch Size

Cannot be master-keyed

Mechanism, lever, bolt and spring.
Bronze interior parts.

Key Changes, 12.

Keys, As ordered. List No. 039.

Specify number of keys wanted.

Order must state whether all keys are wanted alike or different.

No.	Case Finish	Shackle
39	Bronze, dipped bright	Mal. iron, bower-barffed
With 8 inches of 2S Chain		
39 1/2	Bronze, dipped bright	Mal. iron, bower-barffed


Packed: 1/2 doz. in a box; weight per doz., with chain but without keys, 9 1/2 lbs.

CUTS
FULL
SIZE.

MALLEABLE IRON PADLOCKS

Lever-Tumbler Mechanism

32



2 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.


Shackle, $1\frac{1}{32}$ in. dia., $\frac{13}{16}$ in. clearance.

Key Changes, 144.

Keys, two, List No. 526.

No.	Case Finish	Steel Shackle
485	Malleable iron, galvanized; steel discs, casehardened and galvanized	Casehardened and blued
With 8 inches of 2S Chain		
485 $\frac{1}{2}$	Malleable iron, galvanized; steel discs, casehardened and galvanized	Casehardened and blued

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 6 $\frac{1}{4}$ lbs.



2 1/4 inch Size

Cannot be master-keyed

Mechanism, four lever-tumblers.

Shackle, $\frac{3}{8}$ in. dia., $\frac{5}{8}$ in. clearance.

Key Changes, 144.

Keys, two, List No. 126.

No.	Case Finish	Shackle
526	Malleable iron, bower-barffed; steel discs, casehardened and finished in orange lacquer	Steel, casehardened and cadmium plated
With 8 inches of 2S Chain		
526 $\frac{1}{2}$	Malleable iron, bower-barffed; steel discs, casehardened and finished in orange lacquer	Steel, casehardened and cadmium plated


Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 8 $\frac{3}{4}$ lbs.

"Hermetic" Model

WROUGHT STEEL PADLOCKS
Lever-Tumbler Mechanism
"Resolute" Model

CUTS
FULL
SIZE.

33



2 inch Size

Master-keyed as below

Mechanism, six lever-tumblers.

Key Changes, regular, 144. Can be furnished with 4000 changes.

Keys, two, List No. 575.

No.	Steel Case Finish	Mal. Iron Shackle
575J	Ivory black	Nickel plated
575JMK	" "	" "
575Z	Galvanized	Galvanized
575ZMK	" "	" "
With 8 inches of 2S Chain		
575½J	Ivory black	Nickel plated
575½JMK	" "	" "
575½Z	Galvanized	Galvanized
575½ZMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "575JMK," can be furnished master-keyed in one group in any number up to 4000. Cannot be grand master-keyed.

Packed: ½ doz. in a box; weight per doz., without chain, 4 lbs.


2 inch Size

Master-keyed as below

Mechanism, six lever-tumblers.

Key Changes, regular, 144. Can be furnished with 4000 changes.


Keys, two, List No. 9575.



No.	Steel Case Finish	Mal. Iron Shackle
9575J	Ivory black	Nickel plated
9575JMK	" "	" "
9575Z	Galvanized	Galvanized
9575ZMK	" "	" "
With 8 inches of 2S Chain		
9575½J	Ivory black	Nickel plated
9575½JMK	" "	" "
9575½Z	Galvanized	Galvanized
9575½ZMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "9575JMK," can be furnished master-keyed in one group in any number up to 4000. Cannot be grand master-keyed.


Packed: ½ doz. in a box; weight per doz., without chain, 4½ lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT BRASS AND WROUGHT
STEEL PADLOCKS****Combination Mechanism****1 7/8 inch Size****Mechanism**, four tumblers.**Shackle**, 1/4 in. dia., 3/4 in. clearance.**Changes**, 540.**Knob**, cast brass.**Operated**, by sight, click or touch.

No.	Case Finish	Steel Shackle
320	Brass, dipped	Bower-barffed

Packed: 1/2 doz. in a box, with directions. Weight per doz., 5 lbs.

For this padlock with adjustable shackle, see page 77.

**2 inch Size****Mechanism**, four tumblers. Interior parts, brass.**Changes**, 540.**Dial and Knob**, nickel plated.**Shackle**, No. 34, square (as cut); No. 034, round.**Operated**, by sight, click or touch.

No.	Steel Case Finish	Mal. Iron Shackle
34	Ivory black	Nickel plated
034	" "	" "



Packed: 1/2 doz. in a box, with directions. Weight per doz., 6 lbs.

CAST BRASS PADLOCKS

Ward and Lever Mechanism

CUTS
FULL
SIZE.

35



1 3/4 inch Size

Cannot be master-keyed

Mechanism, ward and lever.



Shackle, 7/8 in. dia., 25/32 in. clearance.

Key Changes, 12.

Keys, two, List No. 197.

No.	Case Finish	Mal. Iron Shackle
0197	Brass, polished	Bower-barffed

Packed: 1/2 doz. in a box; weight per doz., 3 1/16 lbs.



1 3/4 inch Size

Cannot be master-keyed



Mechanism, ward and lever.

Key Changes, 12.

Keys, two, List No. 197.

No.	Case Finish	Shackle
197	Brass, polished	Brass, polished
With 8 inches of 4S Chain		
197 1/2	Brass, polished	Brass, polished

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 1/2 lbs.



1 3/4 inch Size

Cannot be master-keyed



Mechanism, ward and lever.

Key Changes, 12.


Keys, two, List No. B13.

No.	Case Finish	Shackle
5197	Brass, polished	Brass, polished
With 8 inches of 4S Chain		
5197 1/2	Brass, polished	Brass, polished

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 1/2 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**CAST BRASS PADLOCKS**
Ward and Lever Mechanism**2 inch Size***Cannot be master-keyed***Mechanism, ward and lever.****Key Changes, 12.****Keys, two, List No. 197.**

No.	Case Finish	Shackle
217	Brass, polished	Brass, polished
0217	" "	Steel, casehardened
With 8 inches of 2S Chain		
217½	Brass, polished	Brass, polished

Packed: ½ doz. in a box; weight per doz., without chain, 4½ lbs.**2 inch Size***Cannot be master-keyed***Mechanism, ward and lever.****Key Changes, 12.****Keys, two, List No. B13.**


No.	Case Finish	Shackle
5217	Brass, polished	Brass, polished
With 8 inches of 2S Chain		
5217½	Brass, polished	Brass, polished

Packed: ½ doz. in a box; weight per doz., without chain, 4¾ lbs.

**CAST BRASS AND CAST BRONZE
PADLOCKS**
Ward and Lever Mechanism

CUTS
FULL
SIZE.

37



"Mercury" Model

2 inch Size

Cannot be master-keyed

Mechanism, two lever-tumblers and three wards.


Shackle, $\frac{5}{16}$ in. dia., $\frac{13}{16}$ in. clearance.

Key Changes, 12.

Keys, two, List No. 495.

No.	Case Finish	Shackle
495	Brass, face and edges wheel finish	Brass, polished
With 8 inches of 2S Chain		
495 $\frac{1}{2}$	Brass, face and edges wheel finish	Brass, polished

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 4 $\frac{1}{4}$ lbs.



2 inch Size

Cannot be master-keyed

Mechanism, two lever-tumblers and four wards.

Key Changes, 12.

Keys, two, List No. 9425.



No.	Case Finish	Shackle
9425B	Bronze, face and edges wheel finish	Bronze, buffed
With 8 inches of 2S Chain		
9425 $\frac{1}{2}$ B	Bronze, face and edges wheel finish	Bronze, buffed

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., without chain, 5 lbs.



CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**

Lever-Tumbler Mechanism

"Fidelity" Model

**1 1/2 inch Size***Cannot be master-keyed***Mechanism**, five lever-tumblers.**Shackle**, 1/4 in. dia., 5/8 in. clearance.**Key Changes**, 12.**Keys**, two, List No. 25.

No.	Case Finish	Steel Shackle
633	Steel, ivory black; wrought brass caps.	Nickel plated

Packed: 1/2 doz. in a box; weight per doz., 3 5/8 lbs.**2 inch Size***Cannot be master-keyed***Mechanism**, five lever-tumblers.**Shackle**, 5/16 in. dia.; 15/16 in. clearance.**Key Changes**, 12.**Keys**, two, List No. 26.



No.	Case Finish	Steel Shackle
635	Steel, ivory black; wrought brass caps.	Nickel plated

Packed: 1/2 doz. in a box; weight per doz., 6 lbs.

WROUGHT STEEL AND WROUGHT BRASS PADLOCKS Lever-Tumbler Mechanism

CUTS
FULL
SIZE.

39



1 inch Size

Master-keyed as below

Mechanism, four lever-tumblers.

Shackle, $\frac{3}{16}$ in. dia., $\frac{15}{32}$ in. clearance.



Key Changes, regular, 12. Can be furnished with 1000 changes.

Keys, two, List No. 681.

No.	Steel Case Finish	Steel Shackle
681J	Ivory black	Nickel plated
681JMK	" "	" "
681N	Nickel plated	" "
681NMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "681JMK," can be furnished master-keyed in one group in any number up to 550. Cannot be grand master-keyed.

Packed: 1 doz. in a box; weight per doz., $1\frac{1}{8}$ lbs.



1 inch Size

Cannot be master-keyed



Mechanism, two lever-tumblers.

Key Changes, 12.

Keys, two, List No. 671.

No.	Case Finish	Shackle
1671J	Steel, ivory black	Mal. iron, nkl. pltd.
1671V	Brass, dipped	Cast brass, dipped

Packed: 1 doz. in a box; weight per doz., $\frac{7}{8}$ lb.



1 1/4 inch Size

Master-keyed as below

Mechanism, three lever-tumblers.

Shackle, $\frac{3}{16}$ in. dia., $\frac{21}{32}$ in. clearance.

Key Changes, regular, 12. Can be furnished with 600 changes.

Keys, two, List No. 612.


No.	Steel Case Finish	Steel Shackle
692J	Ivory black	Nickel plated
692JMK	" "	" "
692X	Brass plated	Brass plated
692XMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "692JMK," can be furnished master-keyed in any number up to 1500. Cannot be grand master-keyed.



Packed: 1 doz. in a box; weight per doz., $1\frac{3}{4}$ lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK

**WROUGHT STEEL AND WROUGHT
BRASS PADLOCKS**
Lever-Tumbler and Warded Mechanism
"Terror" Model

**1 1/4 inch Size***Cannot be master-keyed***Mechanism**, two lever-tumblers and one ward.**Shackle**, $\frac{5}{32}$ in. dia., $\frac{1}{2}$ in. clearance.**Key Changes**, 12.**Keys**, two, List No. 612.

No.	Case Finish	Shackle
612S	Steel, ivory black	Steel, nkl. pltd.
612V	Brass, dipped	Brass, dipped

Packed: 1 doz. in a box; weight per doz., 1 1/4 lbs.**2 inch Size***Cannot be master-keyed***Mechanism**, two lever-tumblers.**Shackle**, $\frac{1}{4}$ in. dia., $\frac{3}{4}$ in. clearance.**Key Changes**, 12.**Keys**, two, List No. 615.

No.	Case Finish	Shackle
615S	Steel, ivory black	Steel, nkl. pltd.
615V	Brass, dipped	Brass, dipped


Packed: 1/2 doz. in a box; weight per doz., 2 3/8 lbs.

WROUGHT BRASS AND WROUGHT STEEL PADLOCKS

Lever-Tumbler Mechanism

CUTS
FULL
SIZE.

4 I



2 inch Size

Cannot be master-keyed

Mechanism, six lever-tumblers.



Shackle, $\frac{5}{16}$ in. dia., $\frac{7}{8}$ in. clearance.

Key Changes, regular, 12. Can be furnished with 4000 changes.

Keys, two, List No. 605.

No.	Case Finish	Steel Shackle
605V	Brass, scratch brushed	Nickel plated

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., $4\frac{7}{8}$ lbs.



1 3/4 inch Size

Master-keyed as below

Mechanism, four lever-tumblers.

Shackle, $\frac{9}{32}$ in. dia., $\frac{13}{16}$ in. clearance.



Key Changes, regular, 12. Can be furnished with 4000 changes.

Keys, two, List No. 534.



No.	Steel Case Finish	Steel Shackle
534J	Ivory black	Brass plated
534JMK	" "	" "
With 8 inches of 4S Chain		
534 1/2 J	Ivory black	Brass plated
534 1/2 JMK	" "	" "

Master-keying: Padlocks listed with the suffix "MK," thus "534JMK," can be furnished master-keyed in one group in any number up to 4000. Cannot be grand master-keyed.

Packed: 1 doz. in a box; weight per doz., without chain, $3\frac{1}{4}$ lbs.

CUTS
FULL
SIZE.TRADE MARK
YALE**WROUGHT STEEL AND WROUGHT BRASS
PADLOCKS****Hook and Lever-Tumbler Mechanism****1 1/2 inch Size***Master-keyed as below***Mechanism**, five lever-tumblers. Brass interior parts.**Key Changes**, regular, 12. Can be furnished with 3000 changes.**Keys**, two, List No. 150.

No.	Case Finish	Shackle
50F	Steel, bower-barffed	} Mal. iron, nickel plated
50FMK	“ “ “	
51V	Brass, dipped	} Bronze, dipped
51VMK	“ “	
With 8 inches of 4S Chain		
50 1/2 F	Steel, bower-barffed	} Mal. iron, nickel plated
50 1/2 FMK	“ “ “	
51 1/2 V	Brass, dipped	} Bronze, dipped
51 1/2 VMK	“ “	

Master-keying: Padlocks listed with the suffix "MK," thus "50FMK," can be furnished master-keyed in one group in any number up to 3000. Cannot be grand master-keyed.**Packed:** 1/2 doz. in a box; weight per doz., without chain, 2 3/8 lbs.**2 1/2 inch Size***Cannot be master-keyed***Mechanism**, eight hook lever-tumblers.**Key Changes**, 24.**Keys**, two, List No. B11.

No.	Steel Case Finish	Mal. Iron Shackle
9467J	Ivory black	Nickel plated
9467X	Brass plated	Brass plated
9477Z *	Galvanized	Galvanized
With 8 inches of 2S Chain		
9467 $\frac{1}{2}$ J	Ivory black	Nickel plated
9467 $\frac{1}{2}$ X	Brass plated	Brass plated
9477 $\frac{1}{2}$ Z *	Galvanized	Galvanized

Packed: 1/2 doz. in a box; weight per doz., without chain, 8 lbs.

*Interior parts are brass.


WROUGHT STEEL PADLOCKS

Hook Lever-Tumbler Mechanism

"Century" Model

CUTS
FULL
SIZE.

43



2 inch Size

Cannot be master-keyed


Mechanism, No. 9465J lock, six steel tumblers. No. 9475Z lock, six brass tumblers.

Key Changes, 12.

Keys, two, List No. 9475.

No.	Steel Case Finish	Mal. Iron Shackle
9465J	Ivory black	Nickel plated
9465X	Brass plated	Brass plated
9475Z	Galvanized	Galvanized
With 8 inches of 2S Chain		
9465½J	Ivory black	Nickel plated
9465½X	Brass plated	Brass plated
9475½Z	Galvanized	Galvanized

Packed: ½ doz. in a box; weight per doz., without chain, 4¾ lbs.



2 inch Size

Cannot be master-keyed


Mechanism, No. 465J lock, six steel tumblers. No. 475Z lock, six brass tumblers.

Key Changes, 12.


Keys, two, List No. 465.

No.	Steel Case Finish	Mal. Iron Shackle
465J	Ivory black	Nickel plated
465X	Brass plated	Brass plated
475Z	Galvanized	Galvanized
With 8 inches of 2S Chain		
465½J	Ivory black	Nickel plated
465½X	Brass plated	Brass plated
475½Z	Galvanized	Galvanized

Packed: ½ doz. in a box; weight per doz., without chain, 4¼ lbs.

CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**
Lever-Tumbler Mechanism**2 inch Size***Cannot be master-keyed***Mechanism**, two lever-tumblers.**Key Changes**, 12.**Keys**, two, List No. 645.

No.	Steel Case Finish	Steel Shackle
645J	Ivory black	Brass plated
645C	Old copper	Old copper

Packed: 1 doz. in a box; weight per doz., 3¼ lbs.**2 inch Size***Cannot be master-keyed***Mechanism**, two lever-tumblers.**Key Changes**, 12.**Keys**, two, List No. 9575.

No.	Steel Case Finish	Steel Shackle
9645J	Ivory black	Brass plated

Packed: 1 doz. in a box; weight per doz., 3¼ lbs.



CAST BRASS AND WROUGHT BRASS PADLOCKS

R. F. D. Mail Box Padlocks

Warded, and Ward and Lever Mechanism

CUTS
FULL
SIZE.

45



1 5/8 inch Size

Master-keyed as below

Mechanism, warded.

Shackle, 1/4 in. dia., 3/4 in. clearance.



Key changes, 12.

Keys, two, List No. 216. One master-key to each dozen locks, without extra charge.

No.	Case Finish	Shackle
216	Cast brass, polished	Brass, polished
With 8 inches of 4S Chain		
216 1/2	Cast brass, polished	Brass, polished

Master-keying: Above padlocks are regularly furnished master-keyed, in 12 key changes.

Packed: 1 doz. in a box; weight per doz., without chain, 3 lbs.



1 3/4 inch Size

Master-keyed as below

Mechanism, ward and lever. Brass interior parts.


Key Changes, 36.

Keys, two, List No. 242. One master-key to each dozen locks, without extra charge.



No.	Case Finish	Mal. Iron Shackle
242	Wrt. brass, dipped	Galvanized
With 8 inches of 4S Chain		
242 1/2	Wrt. brass, dipped	Galvanized

Master-keying: Above padlocks are regularly furnished master-keyed, in 36 key changes.

Packed: 1 doz. in a box; weight per doz., without chain, 2 5/8 lbs.

CUTS
FULL
SIZE.**CAST BRASS PADLOCKS**
Warded Mechanism**1 1/2 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 6.****Keys, two, List No. 214.**

No.	Case Finish	Shackle
214	Brass, polished	Brass, polished

Packed: 1/2 doz. in a box; weight per doz., 2 lbs.**2 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 6.****Keys, two, List No. 221.**

No.	Case Finish	Shackle
221	Brass, polished	Brass, polished



Packed: 1/2 doz. in a box; weight per doz., 4 lbs.

WROUGHT STEEL PADLOCKS

Lever-Tumbler and Warded Mechanism

CUTS
FULL
SIZE.

49



1 3/4 inch Size

Cannot be master-keyed


Mechanism, two lever-tumblers.

Key Changes, 4.

Keys, two, List No. 684.

No.	Steel Case Finish	Steel Shackle
674J	Ivory black	Brass plated
674N	Nickel plated	Nickel plated

Packed: 1 doz. in a box; weight per doz., 1 3/8 lbs.



"Nabob" Model



1 7/8 inch Size

Cannot be master-keyed

Mechanism, warded.



Shackle, 5/16 in. dia., 27/32 in. clearance.

Key Changes, 6.



Keys, two, List No. 185.

No.	Steel Case Finish	Steel Shackle
185J	Ivory black	Nickel plated
185X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., 2 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL PADLOCKS**
Ward and Lever Mechanism**2 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 12.**Keys**, two, List No. 105.

No.	Steel Case Finish	Mal. Iron Shackle
72J	Ivory black	Nickel plated
72X	Brass plated	Brass plated
With 8 inches of 4S Chain		
72½J	Ivory black	Nickel plated
72½X	Brass plated	Brass plated

Packed: ½ doz. in a box; weight per doz., without chain, 3½ lbs.**2½ inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 12.**Keys**, two, List No. 120.

No.	Steel Case Finish	Mal. Iron Shackle
73J	Ivory black	Nickel plated
With 8 inches of 2S Chain		
73½J	Ivory black	Nickel plated

Packed: ½ doz. in a box; weight per doz., without chain, 5½ lbs.


This lock is also made with barrel keys and dust guard. See No. 573 Series, page 51.

WROUGHT STEEL PADLOCKS

Ward and Lever Mechanism

CUTS
FULL
SIZE.

5 I



2 1/2 inch Size

Cannot be master-keyed

Mechanism, ward and lever.



Key Changes, 12.

Keys, two, List No. B4.

No.	Steel Case Finish	Mal. Iron Shackle
573J	Ivory black	Nickel plated
573Z	Galvanized	Galvanized
With 8 inches of 2S Chain		
573 1/2 J	Ivory black	Nickel plated
573 1/2 Z	Galvanized	Galvanized

Packed: 1/2 doz. in a box; weight per doz., without chain, 5 7/8 lbs.

This lock is also made with flat keys. See No. 73 Series, page 50.



2 1/2 inch Size

Cannot be master-keyed



Mechanism, ward and lever.

Key Changes, 12.



Keys, two, List No. B4.

No.	Steel Case Finish	Mal. Iron Shackle
D573Z	Galvanized	Galvanized
With 8 inches of 2S Chain		
D573 1/2 Z	Galvanized	Galvanized

Packed: 1/2 doz. in a box; weight per doz., without chain, 6 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**CAST IRON PADLOCKS**
Warded Mechanism**2 1/8 inch Size***Cannot be master-keyed***Mechanism, warded.****Shackle, 5/16 in. dia., 15/16 in. clearance.****Key Changes, 6.****Keys, two, List No. 115.**

No.	Iron Case Finish	Steel Shackle
235	Bower-barffed	Cadmium plated

Packed: 1/2 doz. in a box; weight per doz., 6 3/4 lbs.**2 3/8 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 6.****Keys, two, List No. 215.**

No.	Iron Case Finish	Shackle
215	Bower-barffed; caps, cadmium plated	Drop forged steel, cadmium plated



Packed: 1/2 doz. in a box; weight per doz., 6 7/8 lbs.

CAST IRON PADLOCKS

Warded Mechanism

CUTS
FULL
SIZE.

53





1 3/8 inch Size

Cannot be master-keyed

Mechanism, warded.
Shackle, 3/16 in. dia., 21/32 in. clearance.
Key Changes, 6.
Keys, two, List No. 140.

No.	Case Finish	Steel Shackle
10	Iron, bower-barffed	Brass plated

Packed: 1 doz. in a box; weight per doz., 1 1/2 lbs.





1 3/4 inch Size

Cannot be master-keyed

Mechanism, warded.
Shackle, 1/4 in. dia., 3/4 in. clearance.
Key Changes, 6.
Keys, two, List No. 141.

No.	Case Finish	Steel Shackle
11	Iron, bower-barffed	Brass plated

Packed: 1 doz. in a box; weight per doz., 2 7/8 lbs.



2 1/4 inch Size

Cannot be master-keyed

Mechanism, warded.
Shackle, 5/16 in. dia., 1 in. clearance.
Key Changes, 6.
Keys, two, List No. 142.

No.	Case Finish	Steel Shackle
12	Iron, bower-barffed	Brass plated


Packed: 1/2 doz. in a box; weight per doz., 5 1/4 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK

CAST IRON PADLOCKS

Warded Mechanism

"Titan" Model



1½ inch Size

Cannot be master-keyed

Mechanism, warded.



Shackle, $\frac{9}{32}$ in. dia., $\frac{11}{16}$ in. clearance.

Key Changes, 6.

Keys, two, List No. 324.

No.	Iron Case Finish	Steel Shackle
223	Bower-barffed; panels, cadmium plated	Cadmium plated
With 8 inches of 4S Chain		
223½	Bower-barffed; panels, cadmium plated	Cadmium plated

Packed: No. 223, 1 doz. in a box; No. 223½, ½ doz. in a box; weight per doz., without chain, 3½ lbs.
For this padlock with high shackle, see page 75.



2 inch Size

Cannot be master-keyed

Mechanism, warded.

Shackle, $\frac{3}{8}$ in. dia., $\frac{15}{16}$ in. clearance.

Key Changes, 6.

Keys, two, List No. 225.


No.	Iron Case Finish	Steel Shackle
225	Bower-barffed; panels, cadmium plated	Cadmium plated
With 8 inches of 2S Chain		
225½	Bower-barffed; panels, cadmium plated	Cadmium plated

Packed: ½ doz. in a box; weight per doz., without chain, 6 lbs.

MALLEABLE IRON PADLOCKS
Warded Mechanism
"Hermetic" Model

CUTS
FULL
SIZE.

55



1 3/4 inch Size

Cannot be master-keyed

Mechanism, warded.

Shackle, 9/32 in. dia., 21/32 in. clearance.



Key Changes, 6.

Keys, two, List No. 324.

No.	Case Finish	Steel Shackle
324	Malleable iron, bower-barffed; steel discs, case-hardened and finished in red lacquer	Cadmium plated
With 8 inches of 4S Chain		
324 1/2	Malleable iron, bower-barffed; steel discs, case-hardened and finished in red lacquer	Cadmium plated

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 1/8 lbs.

For this padlock with high shackle, see page 75.



2 1/4 inch Size

Cannot be master-keyed

Mechanism, warded.

Shackle, 3/8 in. dia., 23/32 in. clearance.

Key Changes, 6.

Keys, two, List No. 225.


No.	Case Finish	Steel Shackle
326	Malleable iron, bower-barffed; steel discs, case-hardened and finished in red lacquer	Cadmium plated
With 8 inches of 2S Chain		
326 1/2	Malleable iron, bower-barffed; steel discs, case-hardened and finished in red lacquer	Cadmium plated

Packed: 1/2 doz. in a box; weight per doz., without chain, 8 1/4 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL PADLOCKS**


Warded Mechanism

"Vigilant" Model

**1½ inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 6.****Keys, two, List No. 453.**

No.	Steel Case Finish	Mal. Iron Shackle
453J	Ivory black	Brass plated
453X	Brass plated	" "
With 8 inches of 4S Chain		
453½J	Ivory black	Brass plated

Packed: 1 doz. in a box; weight per doz., without chain, 1½ lbs.

**2 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 6.****Keys, two, List No. 455.**



No.	Steel Case Finish	Mal. Iron Shackle
455J	Ivory black	Brass plated
455X	Brass plated	" "
With 8 inches of 4S Chain		
455½J	Ivory black	Brass plated

Packed: Nos. 455J and 455X, 1 doz. in a box; No. 455½J, ½ doz. in a box; weight per doz., without chain, 3 lbs.

WROUGHT STEEL PADLOCKS
Warded Mechanism
"Vigilant" Model

CUTS
 FULL
 SIZE.

57





2 inch Size

Cannot be master-keyed

Mechanism, warded.
Key Changes, 6.
Keys, two, List No. 9455.

No.	Steel Case Finish	Mal. Iron Shackle
9455J	Ivory black	Brass plated
9455X	Brass plated	" "

Packed: ½ doz. in a box; weight per doz., 3¼ lbs.



2 ½ inch Size

Cannot be master-keyed



Mechanism, warded.
Key Changes, 6.
Keys, two, List No. 457.

No.	Steel Case Finish	Mal. Iron Shackle
457J	Ivory black	Brass plated



Packed: ½ doz. in a box; weight per doz., 4¾ lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL AND WROUGHT BRASS
PADLOCKS**



Ward and Lever Mechanism

**1 5/16 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 6.**Keys**, two, List No. 160.

No.	Steel Case Finish	Mal. Iron Shackle
16J	Ivory black	Nickel plated
16X	Brass plated	Brass plated
16Z*	Galvanized	Galvanized

Packed: 1 doz. in a box; weight per doz., 1 lb.**1 1/2 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 6.**Keys**, two, List No. 180.

No.	Case Finish	Mal. Iron Shackle
18J	Steel, ivory black	Nickel plated
18X	" brass plated	Brass plated
18Z*	" galvanized	Galvanized
18V†	Brass, dipped	Ivory black

Packed: 1 doz. in a box; weight per doz., 1 1/2 lbs.**1 3/4 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 12.**Keys**, two, List No. 190.

No.	Case Finish	Mal. Iron Shackle
19J	Steel, ivory black	Nickel plated
19X	" brass plated	Brass plated
19Z*	" galvanized	Galvanized
19V†	Brass, dipped	Ivory black
With 8 inches of 4S Chain		
19 1/2 J	Steel, ivory black	Nickel plated
19 1/2 X	" brass plated	Brass plated
19 1/2 Z*	" galvanized	Galvanized
19 1/2 V†	Brass, dipped	Ivory black

Packed: 1 doz. in a box; weight per doz., without chain, 2 3/4 lbs.

*Interior parts are galvanized.



†Interior parts are brass.

WROUGHT STEEL AND WROUGHT BRASS PADLOCKS

Ward and Lever Mechanism

CUTS
FULL
SIZE.

59



2 inch Size

Cannot be master-keyed

Mechanism, ward and lever.

Key Changes, 12.

Keys, two, List No. 190.



No.	Case Finish	Mal. Iron Shackle
21J	Steel, ivory black	Nickel plated
21X	" brass plated	Brass plated
21Z*	" galvanized	Galvanized
21V†	Brass, dipped	Ivory black
21VBS	" "	‡Nickel plated
With 8 inches of 4S Chain		
21½J	Steel, ivory black	Nickel plated
21½X	" brass plated	Brass plated
21½Z*	" galvanized	Galvanized
21½V†	Brass, dipped	Ivory black

Packed: ½ doz. in a box; weight per doz., without chain, 2¾ lbs.

*Interior parts are galvanized.

†Interior parts are brass.

‡Shackle is brittle cast iron, that can be easily broken, for use on hydrants and fire houses.



2 1/4 inch Size

Cannot be master-keyed

Mechanism, ward and lever.


Key Changes, 12.

Keys, two, List No. 190.

No.	Steel Case Finish	Mal. Iron Shackle
121J	Ivory black	Nickel plated
121X	Brass plated	Brass plated
121Z*	Galvanized	Galvanized
With 8 inches of 4S Chain		
121½J	Ivory black	Nickel plated
121½X	Brass plated	Brass plated
121½Z*	Galvanized	Galvanized

Packed: ½ doz. in a box; weight per doz., without chain, 3¾ lbs.



*Interior parts are galvanized.

CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**
Ward and Lever Mechanism**2 5/8 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 12.**Keys**, two, List No. 22.

No.	Steel Case Finish	Mal. Iron Shackle
22J	Ivory black	Nickel plated
22X	Brass plated	Brass plated
22Z*	Galvanized	Galvanized
With 8 inches of 2S Chain		
22½J	Ivory black	Nickel plated
22½X	Brass plated	Brass plated
22½Z*	Galvanized	Galvanized

Packed: ½ doz. in a box; weight per doz., without chain,
4¹³/₁₆ lbs.

*Interior parts are galvanized.

**1 5/8 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 6.**Keys**, two, List No. 58.

No.	Steel Case Finish	Mal. Iron Shackle
1925	Bower-barffed	Galvanized


Packed: 1 doz. in a box; weight per doz., 2½ lbs.

WROUGHT STEEL PADLOCKS

Ward and Lever Mechanism

CUTS
FULL
SIZE.

61



1 7/8 inch Size

Cannot be master-keyed


Mechanism, ward and lever.

Key Changes, 6.

Keys, two, List No. 1905.

No.	Steel Case Finish	Mal. Iron Shackle
1905J	Ivory black	Nickel plated
1905X	Brass plated	Brass plated
With 8 inches of 4S Chain		
1905 1/2 J	Ivory black	Nickel plated
1905 1/2 X	Brass plated	Brass plated

Packed: 1 doz. in a box; weight per doz., without chain, 2 1/8 lbs.



1 5/8 inch Size

Cannot be master-keyed

Mechanism, ward and lever.



Key Changes, 6.

Keys, two, List No. 58.



No.	Steel Case	Plates	Mal. Iron Shackle
8J	Ivory black	Brass plated	Brass plated
8X	Brass plated	Oxid. black	Oxid. black
8Z*	Galvanized	Brass plated	Galvanized
With 8 inches of 4S Chain			
8 1/2 J	Ivory black	Brass plated	Brass plated
8 1/2 X	Brass plated	Oxid. black	Oxid. black
8 1/2 Z*	Galvanized	Brass plated	Galvanized

Packed: 1 doz. in a box; weight per doz., without chain, 2 1/8 lbs.

*Interior parts are galvanized.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL PADLOCKS**
Ward and Lever Mechanism**1 7/8 inch Size***Cannot be master-keyed***Mechanism**, ward and lever..**Key Changes**, 12.**Keys**, two, List No. 128.

No.	Steel Case	Plates	Mal. Iron Shackle
88J	Ivory black	Brass plated	Brass plated
88X	Brass plated	Oxid. black	Oxid. black
88Z*	Galvanized	Brass plated	Galvanized
With 8 inches of 4S Chain			
88 1/2 J	Ivory black	Brass plated	Brass plated
88 1/2 X	Brass plated	Oxid. black	Oxid. black
88 1/2 Z*	Galvanized	Brass plated	Galvanized

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 1/8 lbs.**2 1/8 inch Size***Cannot be master-keyed***Mechanism**, ward and lever.**Key Changes**, 12.**Keys**, two, List No. 888.

No.	Steel Case	Plates	Mal. Iron Shackle
888J	Ivory black	Brass plated	Brass plated
888X	Brass plated	Oxid. black	Oxid. black
888Z*	Galvanized	Brass plated	Galvanized
With 8 inches of 2S Chain			
888 1/2 J	Ivory black	Brass plated	Brass plated
888 1/2 X	Brass plated	Oxid. black	Oxid. black
888 1/2 Z*	Galvanized	Brass plated	Galvanized

Packed: 1/2 doz. in a box; weight per doz., without chain, 4 1/4 lbs.


*Interior parts are galvanized.

WROUGHT STEEL PADLOCKS

Warded Mechanism

CUTS
FULL
SIZE.

63



1 $\frac{1}{16}$ inch Size

Cannot be master-keyed


Mechanism, warded.

Key Changes, 3.

Keys, two, List No. 477.

No.	Steel Case Finish	Mal. Iron Shackle
477J	Ivory black	Brass plated
477X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., $1\frac{15}{16}$ lbs.



1 $\frac{5}{16}$ inch Size

Cannot be master-keyed


Mechanism, warded.

Key Changes, 3.

Keys, two, List No. 479.

No.	Steel Case Finish	Mal. Iron Shackle
478J	Ivory black	Brass plated
478X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., $1\frac{1}{16}$ lbs.



1 $\frac{9}{16}$ inch Size

Cannot be master-keyed


Mechanism, warded.

Key Changes, 3.



Keys, two, List No. 479.

No.	Steel Case Finish	Mal. Iron Shackle
479J	Ivory black	Brass plated
479X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., $1\frac{7}{16}$ lbs.

CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**
Warded Mechanism**1 13/16 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 3.****Keys, two, List No. 480.**

No.	Steel Case Finish	Mal. Iron Shackle
480J	Ivory black	Brass plated
480X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., 2 5/16 lbs.**2 1/16 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 3.****Keys, two, List No. 480.**

No.	Steel Case Finish	Mal. Iron Shackle
481J	Ivory black	Brass plated
481X	Brass plated	" "



Packed: 1/2 doz. in a box; weight per doz., 3 1/16 lbs.

WROUGHT STEEL PADLOCKS

Warded Mechanism

CUTS
FULL
SIZE.

65



1 3/4 inch Size

Cannot be master-keyed

Mechanism, warded.



Shackle, 1/4 in. dia., 7/8 in. clearance.

Key Changes, 6.

Keys, two, List No. 164.

No.	Steel Case Finish	Steel Shackle
164J	Ivory black	Nickel plated
164X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., 3 lbs.



2 inch Size

Cannot be master-keyed

Mechanism, warded.

Shackle, 5/16 in. dia., 15/16 in. clearance.

Key Changes, 6.


Keys, two, List No. 115.

No.	Steel Case Finish	Steel Shackle
115J	Ivory black	Nickel plated
115X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., 3 1/2 lbs.
For this padlock with high shackle, see page 73.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL PADLOCKS**
Warded Mechanism**2 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 3.****Keys, two, List No. 300.**

No.	Steel Case Finish	Mal. Iron Shackle
300J	Ivory black	Brass plated
300X	Brass plated	" "

Packed: $\frac{1}{2}$ doz. in a box; weight per doz., $2\frac{7}{16}$ lbs.**2 inch Size***Cannot be master-keyed***Mechanism, warded.****Key Changes, 3.****Keys, two, List No. B3.**

No.	Steel Case Finish	Mal. Iron Shackle
5300J	Ivory black	Brass plated
5300X	Brass plated	" "


Packed: $\frac{1}{2}$ doz. in a box; weight per doz., $2\frac{9}{16}$ lbs.

WROUGHT STEEL PADLOCKS

Warded Mechanism

CUTS
FULL
SIZE.

67



1 7/8 inch Size

Cannot be master-keyed

Mechanism, warded.

Key Changes, 3.

Keys, two, List No. 1920.

No.	Steel Case Finish	Mal. Iron Shackle
1920J	Ivory black	Nickel plated
1920X	Brass plated	Brass plated

Packed: 1 doz. in a box; weight per doz., 2 5/16 lbs.



2 1/4 inch Size

Cannot be master-keyed


Mechanism, warded.

Key Changes, 6.



Keys, two, List No. 2105.

No.	Steel Case Finish	Mal. Iron Shackle
2105J	Ivory black	Nickel plated
2105X	Brass plated	Brass plated



Packed: 1/2 doz. in a box; weight per doz., 3 1/2 lbs.

CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**
Warded Mechanism**1 5/8 inch Size***Cannot be master-keyed***Mechanism**, warranted.**Key Changes**, 3.**Keys**, two, List No. 1805.

No.	Steel Case Finish	Mal. Iron Shackle
1805J	Ivory black	Nickel plated
1805X	Brass plated	Brass plated

Packed: 1 doz. in a box; weight per doz., 1 3/4 lbs.**1 5/16 inch Size***Cannot be master-keyed***Mechanism**, warranted.**Key Changes**, 3.**Keys**, two, List No. 95.

No.	Steel Case Finish	Mal. Iron Shackle
95J	Ivory black	Nickel plated
95X	Brass plated	Brass plated

Packed: 1 doz. in a box; weight per doz., 1 1/4 lbs.**1 1/2 inch Size***Cannot be master-keyed***Mechanism**, warranted.**Key Changes**, 3.**Keys**, two, List No. 100.

No.	Steel Case Finish	Mal. Iron Shackle
100J	Ivory black	Nickel plated
100X	Brass plated	Brass plated


Packed: 1 doz. in a box; weight per doz., 1 1/4 lbs.

WROUGHT STEEL PADLOCKS

Warded Mechanism

CUTS
FULL
SIZE.

69



1 7/8 inch Size

Cannot be master-keyed

Mechanism, warded.



Key Changes, 12.

Keys, two, List No. 105.

No.	Steel Case Finish	Mal. Iron Shackle
105J	Ivory black	Nickel plated
105X	Brass plated	Brass plated
105Z*	Galvanized	Galvanized
With 8 inches of 4S Chain		
105 1/2 J	Ivory black	Nickel plated
105 1/2 X	Brass plated	Brass plated
105 1/2 Z*	Galvanized	Galvanized

*Interior parts are galvanized.

Packed: 1/2 doz. in a box; weight per doz., without chain, 3 lbs.



2 1/4 inch Size

Cannot be master-keyed


Mechanism, warded.

Key Changes, 12.


Keys, two, List No. 120.

No.	Steel Case Finish	Mal. Iron Shackle
110J	Ivory black	Nickel plated
110X	Brass plated	Brass plated
With 8 inches of 2S Chain		
110 1/2 J	Ivory black	Nickel plated
110 1/2 X	Brass plated	Brass plated



Packed: 1/2 doz. in a box; weight per doz., without chain, 4 1/2 lbs.

CUTS
FULL
SIZE.**WROUGHT STEEL PADLOCKS**
Spring Mechanism**1 1/4 inch Size***Cannot be master-keyed***Mechanism, spring.****Key Changes, alike.****Keys, two, List No. 131.**

No.	Steel Case Finish	Mal. Iron Shackle
131J	Ivory black	Brass plated
131X	Brass plated	" "

Packed: 1 doz. in a box; weight per doz., $15\frac{1}{16}$ lbs.**1 1/2 inch Size***Cannot be master-keyed***Mechanism, spring.****Key Changes, alike.****Keys, two, List No. 132.**

No.	Steel Case Finish	Mal. Iron Shackle
132J	Ivory black	Brass plated
132X	Brass plated	" "


Packed: 1 doz. in a box; weight per doz., $1\frac{1}{4}$ lbs.**1 3/4 inch Size***Cannot be master-keyed***Mechanism, spring.****Key Changes, alike.****Keys, two, List No. 133.**

No.	Steel Case Finish	Mal. Iron Shackle
133J	Ivory black	Brass plated
133X	Brass plated	" "


Packed: 1 doz. in a box; weight per doz., $1\frac{3}{4}$ lbs.

DOG COLLAR LOCKS


71




No. A275




No. 260



No. 261



No. 262



No. 263



No. 264

No.	Size	Material
260	$\frac{5}{8}$ in.	Cast brass, polished
261	$\frac{3}{4}$ "	" " "
262	$\frac{7}{8}$ "	" " "
263	1 "	" " "
264	$\frac{5}{8}$ "	Wrought brass polished


Carefully finished. Spring shackle, self locking. One key to each lock.
 Display Cards Green and Gold, $4\frac{7}{8}$ x $5\frac{5}{8}$ in.
 No. A275 Card consists of 3 each Nos. 260, 261, 262, and 263. Each card in a box.




TRADE **YALE** MARK

CAST BRONZE AND WROUGHT STEEL PADLOCKS

Pin-Tumbler and Lever-Tumbler Mechanism



Nos. 2830 to 4830



Nos. 1563 to 3563



1½ inch Size

Nos. 2830, 3830, and 4830 can be master-keyed, the same as No. 830.

Nos. 1563, 2563, and 3563 cannot be master-keyed.

Mechanism, Nos. 2830, 3830, and 4830, five pin-tumblers; Nos. 1563, 2563, and 3563, three lever-tumblers.

Key Changes, Nos. 2830, 3830, and 4830, practically unlimited; Nos. 1563, 2563, and 3563, 48.

Shackle, Nos. 2830, 3830, and 4830, ¼ in. dia.; Nos. 1563, 2563, and 3563, ¼ in. dia.

Keys, Nos. 2830, 3830, and 4830, two, List No. 13½; Nos. 1563, 2563, and 3563, two, List No. 77.

Clearance, distance from top of lock case to underside of shackle.

No.	Case Finish	Shackle Clearance	Shackle
2830	Bronze, buffed finish	2½ in.	Steel, casehardened, chromium plated
3830	" " "	1¾ "	" " " " "
4830	" " "	1¾ "	" " " " "
1563	Steel, bower-barfied	1¾ "	" nickel plated
2563	" " "	2½ "	" " "
3563	" " "	1¾ "	" " "

Packed: ½ doz. in a box; weight per doz., No. 2830, 5 lbs.; No. 3830, 4½ lbs.; No. 4830, 4¾ lbs.; No. 1563, 3¼ lbs.; No. 2563, 3½ lbs.; No. 3563, 3½ lbs.


WROUGHT STEEL PADLOCKS

Lever-Tumbler
and
Warded Mechanism

No. 2115J for Motorcycles
" 2565 "
" 3115J " Bicycles

CUTS
FULL
SIZE.


73




No. 2565
"Defiance" Model



No. 78



No. 115



Nos. 2115J and 3115J
"Vulcan Jr." Model

2 inch Size

Cannot be master-keyed

Mechanism, No. 2565, four lever-tumblers; Nos. 2115J and 3115J, warded.

Shackle, No. 2565, $\frac{5}{16}$ in. dia.; Nos. 2115J and 3115J, $\frac{5}{16}$ in. dia.



Key Changes, No. 2565, 48; Nos. 2115J and 3115J, 6.

Keys, No. 2565, two, List No. 78; Nos. 2115J and 3115J, two, List No. 115.



Clearance, distance from top of lock case to under side of shackle.

No.	Case Finish	Shackle Clearance	Shackle
2565	Steel, bower-barffed	$6\frac{7}{8}$ in.	Steel, nickel plated
2115J	" ivory black	$6\frac{7}{8}$ "	" " "
3115J	" " "	5 "	" " "

Packed: $\frac{1}{12}$ doz. in a box; weight per doz., No. 2565, $8\frac{1}{4}$ lbs.; No. 2115J, $6\frac{3}{4}$ lbs.
No. 3115J, 6 lbs.

CUTS
FULL
SIZE.**CAST BRASS PADLOCKS**
Warded Mechanism**1 1/4 inch Size***Cannot be master-keyed***Mechanism**, warded.**Shackle**, 3/16 in. diameter.**Key Changes**, 6.**Keys**, two, List No. 140.**Clearance**, distance from top of case to underside of shackle 1 5/8 in.

No.	Case Finish	Steel Shackle
40LS RC40LS†	Brass, polished " "	Nickel plated " "

Packed: 1 doz. in a box; weight per doz., 1 7/8 lbs.**1 5/8 inch Size***Cannot be master-keyed***Mechanism**, warded.**Shackle**, 1/4 in. diameter.**Key Changes**, 6.**Keys**, two, List No. 141.**Clearance**, distance from top of case to underside of shackle, 1 3/4 in.

No.	Case Finish	Steel Shackle
41LS RC41LS†	Brass, polished " "	Nickel plated " "

Packed: 1 doz. in a box; weight per doz., 3 1/4 lbs.


†Has rubber cover, see page 80.

IRON PADLOCKS


Warded Mechanism with Long Shackles

CUTS
FULL
SIZE.

75



No. 3223
"Titan" Model



No. 3324
"Hermetic" Model

1½ and 1¾ inch Sizes

Cannot be master-keyed

Mechanism, warded.

Key Changes, 6.


Shackle, No. 3223, ⅝ in. diameter; No. 3324, ⅞ in. diameter.

Keys, No. 3223, two, List No. 324; No. 3324, two, List No. 324.



Clearance, distance from top of lock case to underside of shackle.

No.	Size Case	Case Finish	Shackle Clearance	Shackle
3223	1½ in.	Iron, bower-barffed; panels, cadmium plated.	1¼ in.	Steel, cadmium plated
3324	1¾ "	Malleable iron, bower-barffed; steel discs, casehardened and finished in red lacquer.	1¼ "	" " "

Packed: ½ doz. in a box; weight per doz., No. 3223, 3½ lbs.; No. 3324, 5 lbs.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT BRASS PADLOCKS**Pin-Tumbler Mechanism
Adjustable Shackle

No. 2755



No. 3755

2 inch Size*Cannot be master-keyed***Mechanism**, four pin-tumblers.**Shackle**, $\frac{5}{16}$ in. diameter.**Key Changes**, 250.**Keys**, two, List No. X21.

No.	Case Finish	Shackle Clearance*	Steel Shackle
2755	Brass, buffed	From $\frac{13}{16}$ in. to $4\frac{1}{8}$ in.	Hardened and nickel plated
3755	" "	" $\frac{13}{16}$ " " $1\frac{3}{4}$ "	" " " "

*Distance when closed, to when fully extended.


Shackles are reversible, locking both sides, and have deep notches, receiving square end bolts.

Packed: $\frac{1}{12}$ doz. in a box; weight per doz., No. 2755, 9 lbs.; No. 3755, $6\frac{3}{4}$ lbs.


WROUGHT BRASS PADLOCKS
Combination Mechanism

CUTS
FULL
SIZE.

77



No. 331



No. 332

**RIVETLESS SEALED UNIT COMBINATION
PADLOCKS WITH ADJUSTABLE
RATCHET SHACKLE**

1 7/8 inch Size

Mechanism, four tumblers.

Shackle, 1/4 in. diameter.

Changes, 540.

Knob, cast brass.

Operated, by sight, click, or touch.


Clearance, distance from top of case. to underside of shackle.

No.	Case Finish	Shackle Clearance	Shackle
331	Brass, dipped	From 2 5/16 in. to 5 in.	Hardened brass
332	" "	" 5/8 " " 1 5/8 in.	" "



Packed: 1/2 doz. in a box, with directions. Weight per doz., No. 331, 7 lbs.; No. 332, 6 lbs.
For these padlocks with regular shackle, see No. 320, page 34.

CUTS
FULL
SIZE.TRADE **YALE** MARK**WROUGHT STEEL AND WROUGHT BRASS
PADLOCKS**

Ward and Bolt Mechanism



No. 444



No. 4440

**RIVETLESS SEALED UNIT PADLOCKS WITH ADJUSTABLE
RATCHET SHACKLE****1 7/8 inch Size***Cannot be master-keyed***Mechanism**, ward and bolt.**Shackle**, 1/4 in. diameter.**Key Changes**, 12.**Keys**, two, List No. 216.**Clearance**, distance from top of case to underside of shackle.


No.	Case Finish	Shackle Clearance	Shackle
444	Steel, bower-barffed	From 1/4 in. to 1 1/4 in.	Steel, nickel plated
4440	Brass, dipped	" 1/4 " " 1 1/4 "	" casehardened

Packed: 1/2 doz. in a box; weight per doz., 4 11/16 lbs.

WROUGHT BRASS PADLOCKS
 Warded Mechanism
 Adjustable Shackle

CUTS
 FULL
 SIZE.

79



No. 2375

No. 3375

2 inch Size

Cannot be master-keyed
Mechanism, warded.
Shackle, $\frac{5}{16}$ in. diameter.
Key Changes, 24.
Keys, two, List No. 1375.

No.	Case Finish	Shackle Clearance*	Steel Shackle
2375 3375	Brass, buffed " "	From $\frac{13}{16}$ in. to $\frac{41}{8}$ in. " $\frac{13}{16}$ " " $\frac{13}{4}$ "	Hardened and nickel plated " " " "

*Distance when closed, to when fully extended.

Shackles are reversible, locking both sides, and have deep notches, receiving square end bolts.

Packed: No. 2375, $\frac{1}{12}$ doz. in a box; weight per doz., 8 lbs.; No. 3375, $\frac{1}{2}$ doz. in a box; weight per doz., $5\frac{1}{2}$ lbs.