

LOCKS

GRILLE AND GATE LOCKS • CABINET LOCKS • LOCKER LOCKS


PADLOCKS • OTHER PRODUCTS • SARGENT & GREENLEAF, Rochester 21, N. Y.



PADLOCKS

No. 1951 COMBINATION PADLOCK—KEY CHANGING

The finest precision combination padlock made. Combination readily changed to any of 100,000 different combinations by special key. Dialing limits no more than $\frac{3}{4}$ number each side of set point. Automatic locking and automatic tumbler dispersal. Because this lock is highly resistant to manipulation, it is extensively used for securing classified documents, instruments, gauges, fixtures and tools. Specified and scheduled by Federal G.S.A. No. 42L-14405-50.



No. 900 WITH CHAIN & SNAP


No. 901 WITHOUT CHAIN

SPECIAL PURPOSE REGISTERING PADLOCK






Used for industrial and institutional mail bags, ballot boxes, restricted areas, etc.

Each opening registers on built-in sequence counter. Cannot be partially opened or re-set without registering. Registers to 9,999, then key locks in and cannot be removed. May be reset at factory.

- BODY Cast Bronze.
- SHACKLE Jail Bronze.
- TUMBLERS 3 pin type, single change. Cannot be masterkeyed.
- KEYS 2 Nickel silver, flat type No. 900-47.
- WEIGHT 11 oz.



STRIKES



No. 900 WITH CHAIN & SNAP

No. 901 WITHOUT CHAIN

SPECIAL PURPOSE REGISTERING PADLOCK

Used for industrial and institutional mail bags, ballot boxes, restricted areas, etc.

Each opening registers on built-in sequence counter. Cannot be partially opened or re-set without registering. Registers to 9,999, then key locks in and cannot be removed. May be reset at factory.



BODY Cast Bronze.

SHACKLE Jail Bronze.



TUMBLERS 3 pin type, single change. Cannot be masterkeyed.

KEYS 2 Nickel silver, flat type No. 900-47.

WEIGHT 11 oz.




No. 900-47




No. 900 (with chain)



KEY BLANKS




No. 80 .050




No. 82 .050




No. 84 .050




No. 92 .050
No. 92H .062




No. 92A .050
No. 92AH .062




No. 92B .050
No. 92BH .062




No. 74A .050




No. 75 .050




No. 92G .093



No. 99-47 .070



No. 99 .050
No. 99-H .062



No. 900-47 .050



KEY LOCK CATALOG

LIST PRICES

JANUARY 1, 1954

GENERAL TERMS

These prices supercede all previous prices and may be changed without notice. Orders are subject to our acceptance at Rochester, New York.

All deliveries are FOB Rochester, New York, without freight allowances. We assume no responsibility for delays, losses or damages to goods in transit.

Goods are made to designs and specifications proven through many years of experience. We will, at our option, and expense, replace goods or refund purchase price if materials or workmanship prove defective within one year from delivery and we are promptly so advised in writing. Except for such replacement or refund, sales are made without warranty or other liability of any kind. Liability specifically cannot be assumed for damage caused by abusive treatment or for consequential damages due to lock failure and shall in no event exceed net cost of merchandise.

Claims for shortages or improper fulfillment must be made within two weeks from delivery.

Goods may not be returned unless authorized by us and are subject to a restocking charge. Cancellations are subject to a cancellation charge.

Minimum charge per order is \$1.00.

1. MASTERKEYING AND GRAND MASTERKEYING

MASTERKEYING is priced in column so headed. GRAND MASTERKEYING, charges below, are to be added to M'KD price. MAISON keying charges are added to Masterkeyed price of the common lock in each set.

	Maison	GMK
Less than 12 locks88 each set extra	1.18 each extra
12 or more locks66 " " "	1.00 " "

2. MASTERKEYS

2 Masterkeys or Grand Masterkeys are furnished without charge with each order of one dozen or more masterkeyed locks. For orders of fewer than one dozen locks, or when extra masterkeys are required the charge is:

Any quantity, each different44 each
10 or more, alike40 "

3. EXTRA KEYS WITH LOCKS

More than the cataloged number of regular change keys furnished with each lock are charged extra.

1 extra flat key per lock26 each
2 or more extra flat keys per lock20 "
1 extra grooved key per lock31 "
2 or more extra grooved keys per lock22 "

4. SPECIAL FEATURES

Many special features not listed, such as horns for unusual door thicknesses, bolt extensions, special keying, finishes, etc., are available if quantities warrant. Prices on application.

5. SCREWS

When not included54 per dozen

6. STRIKES

Strikes are extra when not illustrated with locks.

			1 to 11	12 or More
Group I — Cast Bronze			2.44 each	2.22 each
No. 51 - 25	—	Flat, Mortise	Page 13	
No. 51 - 25 #1	—	Box, Mortise	Not Illustrated	
No. 51 - 25 #2	—	Box, Rim	Not Illustrated	
No. 220 - 25	—	Box, Rim	Not Illustrated	
Group II — Wrought Brass18 each	.14 each
No. 028 - 25	—	Flat	Page 13	
No. 028 - 134	—	Angle	Page 13	
No. 315 - 25	—	Flat	Page 13	
No. 55 1/2 - 2 - 25	—	Flat	Page 13	

KEYS

NOTE: Key blanks are packed 3 dozen in a box. Box is priced at $\frac{1}{4}$ gross price. Broken box quantities are priced in dozen column. 1 dozen is minimum quantity available.


Number	Material	Page	CUT KEYS		KEY BLANKS	
			1 to 9 (Each)	10 or More (Each)	Dozen	Gross
25	Nickel Silver	14	.88	.80	6.16	67.20
31-H	"	14	.44	.40	2.05	22.00
33-H	"	14	.44	.40	2.05	22.00
42-A	"	14	.38	.34	1.52	16.44
51	"	14	.38	.34	1.52	16.44
51-AH	"	14	.38	.34	1.52	16.44
51-B	"	14	.38	.34	1.52	16.44
51-C	"	14	.38	.34	1.52	16.44
52-CG	"	14	.44	.40	2.05	22.00
59	"	14	.38	.34	1.52	16.44
59-H	"	14	.38	.34	1.52	16.44
69-G	"	14	.44	.40	2.05	22.00
74-A	"	15	.38	.34	1.52	16.44
75	"	15	.38	.34	1.52	16.44
80	Steel	15	.38	.34	1.36	14.90
82	"	15	.38	.34	1.36	14.90
84	"	15	.38	.34	1.36	14.90
92	"	15	.38	.34	1.36	14.90
92	Nickel Silver	15	.38	.34	1.52	16.44
92-A	Steel	15	.38	.34	1.36	14.90
92-A	Nickel Silver	15	.38	.34	1.52	16.44
92-AH	Steel	15	.38	.34	1.36	14.90
92-AH	Nickel Silver	15	.38	.34	1.52	16.44
92-B	"	15	.38	.34	1.52	16.44
92-BH	"	15	.38	.34	1.52	16.44
92-G	"	15	.44	.40	2.05	22.00
92-H	Steel	15	.38	.34	1.36	14.90
92-H	Nickel Silver	15	.38	.34	1.52	16.44
99	"	15	.38	.34	1.52	16.44
99-H	"	15	.38	.34	1.52	16.44
99-47	Brass	15	.44	.40	2.05	22.00
900-47	Nickel Silver	15	.44	.40	4.60	50.00

Number	Special	Page	1 To 11		12 or More		1000 or More	
			KD or KA (Each)	MK'D (Each)	KD or KA (Each)	MK'D (Each)	KD or KA (Each)	MK'D (Each)
4		3	17.76	19.44	16.10	17.76	-----	-----
35		8	2.10	-----	1.88	-----	1.54	-----
36		8	2.10	-----	1.88	-----	1.54	-----
41	Pressure Cast (RH)	10	3.10	3.98	2.76	3.66	2.54	2.98
41	Cast Bronze (R or L)	10	4.44	5.32	4.10	4.98	-----	-----
41	Pressure Cast (RH) { Dual	10	3.76	-----	3.44	-----	3.22	-----
41	Cast Bronze (R or L) { Control	10	5.22	-----	4.76	-----	-----	-----
42	Pressure Cast (R)	10	3.10	3.98	2.76	3.66	2.54	2.98
42	Cast Bronze (R or L)	10	4.44	5.32	4.10	4.98	-----	-----
42	Pressure Cast (RH) { Dual	10	3.76	-----	3.44	-----	3.22	-----
42	Cast Bronze (R or L) { Control	10	5.22	-----	4.76	-----	-----	-----
47		12	9.10	10.22	8.22	9.32	7.44	8.32
47-J		12	9.54	10.66	8.66	9.76	7.76	8.66
48		12	8.54	9.66	7.76	8.88	6.98	7.88
48-J		12	9.10	10.22	8.22	9.32	7.44	8.32
51	With Key Escutcheons	4	24.98	26.66	22.76	24.44	-----	-----
51	With Horn 1 Side	4	26.10	27.76	23.88	25.54	-----	-----
51	With Horn 2 Sides	4	27.22	28.88	24.98	26.66	-----	-----
55 1/2-2		10	5.34	6.22	4.78	5.56	4.34	5.00
55 1/2-2-G	Grooved Key-Way	10	6.12	7.00	5.56	6.34	5.00	5.66
57	With Key Escutcheons	4	28.32	29.98	26.10	27.76	-----	-----
57	With Horn 1 Side	4	29.44	31.10	27.22	28.32	-----	-----
57	With Horn 2 Sides	4	30.54	32.22	28.32	29.98	-----	-----
57 1/2	With Key Escutcheons	4	32.76	34.44	30.54	32.22	-----	-----
57 1/2	With Horn 1 Side	4	33.88	35.54	31.66	33.32	-----	-----
57 1/2	With Horn 2 Sides	4	34.98	36.66	32.76	34.44	-----	-----
64		3	18.32	19.98	16.66	18.32	-----	-----
65		3	16.10	17.76	14.44	16.10	-----	-----
99		10	6.74	-----	6.12	-----	5.56	-----
135		12	2.98	-----	2.66	-----	-----	-----
135	Extra Length Shackle up to 3"	12	4.32	-----	3.32	-----	-----	-----
220		6	11.66	12.76	10.54	11.66	9.44	10.10
220-C	Cylinder not Included	7	10.44	-----	9.44	-----	8.32	-----
220-CC	Cylinders not included	7	10.98	-----	9.98	-----	8.88	-----
221		6	12.22	13.32	11.10	12.22	9.98	10.66
221-C	Cylinder not Included	7	10.98	-----	9.98	-----	8.88	-----
224	Latch	6	6.10	-----	5.54	-----	5.04	-----
309		5	4.34	-----	3.88	-----	3.56	-----
309-G		5	4.88	-----	4.44	-----	4.00	-----
309 1/2		5	4.56	-----	4.12	-----	3.66	-----
309 1/2-G		5	5.12	-----	4.66	-----	4.22	-----
310		5	4.78	-----	4.34	-----	3.88	-----
310-R		5	5.00	-----	4.56	-----	4.12	-----
310 1/2		5	5.00	-----	4.56	-----	4.12	-----
314		11	4.88	5.34	4.44	4.66	4.00	4.22
0314		11	4.88	5.34	4.44	4.66	4.00	4.22
315		11	1.78	-----	1.56	-----	1.34	-----
0315		11	1.78	-----	1.56	-----	1.34	-----
418		11	1.78	-----	1.56	-----	1.34	-----
420		11	1.78	-----	1.56	-----	1.34	-----
428		10	3.22	3.22	2.88	2.88	2.56	2.56
732		9	2.88	2.88	2.55	2.55	2.22	2.22
732-A		9	2.88	2.88	2.55	2.55	2.22	2.22
732-G			3.25	3.25	2.89	2.89	2.52	2.52
738		8	1.66	-----	1.44	-----	1.32	-----
0738		8	1.66	-----	1.44	-----	1.32	-----
771	No. 732 Lock Not Included	9	1.88	-----	1.66	-----	1.32	-----
820		11	1.98	1.98	1.76	1.76	1.58	1.58
820-G		11	2.32	2.32	2.10	2.10	1.82	1.82
900		13	33.34	-----	-----	-----	-----	-----
901		13	33.00	-----	-----	-----	-----	-----
905		8	3.54	3.54	3.22	3.22	2.88	2.88
1951	Combination Padlock	13	9.00	-----	-----	-----	-----	-----





PADLOCKS



No. 47 WITH CHAIN

No. 47-J WITH CHAIN AND LARGE SHACKLE

No. 48 WITHOUT CHAIN

No. 48-J WITHOUT CHAIN AND WITH
LARGE SHACKLE

This series padlock is for heavy industrial and institutional use, requiring good security and resistance to corrosion.

BODY Cast Bronze.

SHACKLE No. 47 and No. 48, Cast Bronze
No. 47-J and No. 48-J, Jail Bronze.

TUMBLERS 4 Brass lever type, 1,000 regular changes; 200 changes when masterkeyed. 2,500 regular changes available.

KEYS 2 Nickel silver, No. 59H.

WEIGHTS No. 47—11½ oz.
No. 47-J—12 oz.
No. 48—10½ oz.
No. 48-J—11 oz.

No. 135 Used where good quality and resistance to corrosion is required.

BODY Cast Bronze—satin finish (polished chrome available).

SHACKLE Brass. Long shackle available; specify length required.

TUMBLERS 2 Brass lever type. 12 changes; cannot be masterkeyed.

KEYS 2 Nickel silver No. 74A.